

# SAFETY DATA SHEET

Sealtech N

Page: 1

Compilation date: 09.12.2014

Revision No: 1

## Section 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product name: Sealtech N

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC1: Adhesives, sealants.

### 1.3. Details of the supplier of the safety data sheet

Company name: Sealtech UG

Marienring 8b

D - 90765 - Fürth

Deutschland

Tel: +49 911 9608995

Fax: +49 911 9608996

Email: info@seal-tech.de

### 1.4. Emergency telephone number

## Section 2: Hazards identification

### 2.1. Classification of the substance or mixture

Classification under CLP: -: EUH208; -: EUH210

Classification under CHIP: This product has no classification under CHIP.

### 2.2. Label elements

#### Label elements under CLP:

Hazard statements: EUH208: Contains 2-butanonoxime, n-(3-(trimethoxysilyl)propyl)ethylendiamine. May produce an allergic reaction.

EUH210: Safety data sheet available on request.

#### Label elements under CHIP:

Precautionary phrases: Contains 2-butanone oxime. May produce an allergic reaction.

Safety data sheet available for professional user on request.

### 2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

## Section 3: Composition/information on ingredients

### 3.2. Mixtures

#### Hazardous ingredients:

METHYLTRIS(2-BUTANONOXIM)SILAN

EINECS	CAS	CHIP Classification	CLP Classification	Percent
245-366-4	22984-54-9	Sens.: R43; Xi: R36/38	Eye Irrit. 2: H319; Skin Sens. 1: H317; STOT RE 2: H373	1-5%

[cont...]

# SAFETY DATA SHEET

Sealtech N

Page: 2

## BUTAN-2-ON-O,O'--(VINYL-SILYLIDYN)TRIOXIM

218-747-8	2224-33-1	Sens.: R43; Xi: R36/38	Eye Dam. 1: H318; STOT RE 2: H373; Skin Sens. 1: H317	0.5-1%
-----------	-----------	------------------------	--	--------

## N-(3-(TRIMETHOXYSILYL)PROPYL)ETHYLENDIAMIN

217-164-6	1760-24-3	Xn: R20; Xi: R41; Sens.: R43; N: R51/53	Acute Tox. 4: H332; Eye Dam. 1: H318; Skin Sens. 1: H317; Aquatic Chronic 2: H411; Skin Irrit. 2: H315	0.5-1%
-----------	-----------	--	--	--------

### Non-classified ingredients:

#### KOHLENWASSERSTOFFE, C15-C20, N-ALKANE, ISOALKANE, CYCLOALKANE, < 0,03% AROMATEN

EINECS	CAS	CHIP Classification	CLP Classification	Percent
934-956-3	64742-46-7	Xn: R65	Asp. Tox. 1: H304	5-25%

## Section 4: First aid measures

### 4.1. Description of first aid measures

**Skin contact:** Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water. In case of persisting irritation call in a physician. Where possible show the physician container or label.

**Eye contact:** After separating the eyelids immediately flush eyes thoroughly with plenty of water. In case eye irritation persists, consult an oculist.

**Ingestion:** Consult a doctor.

**Inhalation:** Move to fresh air in case of accidental inhalation of vapours. Consult a doctor.

### 4.2. Most important symptoms and effects, both acute and delayed

**Skin contact:** There may be irritation and redness at the site of contact.

**Eye contact:** There may be irritation and redness.

**Inhalation:** Product releases 2-butanonime during curing. After curing, product is odourless and indifferent.

**Delayed / immediate effects:** Delayed effects can be expected after long-term exposure.

### 4.3. Indication of any immediate medical attention and special treatment needed

**Immediate / special treatment:** Treat symptomatically.

## Section 5: Fire-fighting measures

### 5.1. Extinguishing media

**Extinguishing media:** Carbon dioxide. Dry chemical powder. Water spray. Alcohol or polymer foam. Suitable extinguishing media for the surrounding fire should be used.

### 5.2. Special hazards arising from the substance or mixture

**Exposure hazards:** In combustion emits toxic fumes.

### 5.3. Advice for fire-fighters

**Advice for fire-fighters:** Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes. Closed containers near to the fire should be cooled with water (spray). Container may burst upon heating.

## Section 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions:** Refer to section 8 of SDS for personal protection details.

[cont...]

# SAFETY DATA SHEET

Sealtech N

Page: 3

## 6.2. Environmental precautions

**Environmental precautions:** Do not discharge into drains or rivers.

## 6.3. Methods and material for containment and cleaning up

**Clean-up procedures:** Refer to section 13 of SDS for suitable method of disposal. Allow curing, the product can be disposed (category: commercial waste, municipal waste)

## 6.4. Reference to other sections

**Reference to other sections:** Refer to section 8 of SDS.

## Section 7: Handling and storage

### 7.1. Precautions for safe handling

**Handling requirements:** Ensure there is sufficient ventilation of the area. Do not eat, drink or smoke during application.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage conditions:** Store in cool, well ventilated area. Avoid contact with water or humidity. Keep away from direct sunlight.

**Suitable packaging:** Must only be kept in original packaging.

### 7.3. Specific end use(s)

**Specific end use(s):** No data available.

## Section 8: Exposure controls/personal protection

### 8.1. Control parameters

**Workplace exposure limits:** No data available.

### DNEL/PNEC Values

**DNEL / PNEC** No data available.

### 8.2. Exposure controls

**Engineering measures:** Ensure there is sufficient ventilation of the area.

**Respiratory protection:** Respiratory protection not required.

**Hand protection:** Butyl gloves. Nitrile gloves. PVC gloves. Breakthrough time of the glove material > 1 hour.

**Eye protection:** Safety glasses with side-shields.

**Skin protection:** Protective clothing.

## Section 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

**State:** Paste

**Colour:** Various

**Odour:** Characteristic odour

**Evaporation rate:** No data available.

**Oxidising:** No data available.

**Solubility in water:** No data available.

**Viscosity:** Highly viscous

**Kinematic viscosity:** > 40

**Viscosity test method:** Kinematic viscosity in 10<sup>-6</sup> m<sup>2</sup>/s at 40°C (ISO 3219)

**Boiling point/range°C:** No data available.

**Melting point/range°C:** No data available.

**Flammability limits %: lower:** No data available.

[cont...]

# SAFETY DATA SHEET

Sealtech N

Page: 4

**Flash point°C:** >93  
**Autoflammability°C:** No data available.  
**Relative density:** ca. 1  
**VOC g/l:** < 30

**upper:** No data available.  
**Part.coeff. n-octanol/water:** No data available.  
**Vapour pressure:** No data available.  
**pH:** No data available.

## 9.2. Other information

**Other information:** No data available.

## Section 10: Stability and reactivity

### 10.1. Reactivity

**Reactivity:** Stable under recommended transport or storage conditions.

### 10.2. Chemical stability

**Chemical stability:** Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

**Hazardous reactions:** Hazardous reactions will not occur under normal transport or storage conditions.

### 10.4. Conditions to avoid

**Conditions to avoid:** Humidity. Heat. Direct sunlight.

### 10.5. Incompatible materials

**Materials to avoid:** Water. Strong oxidising agents. Strong acids.

### 10.6. Hazardous decomposition products

**Haz. decomp. products:** In combustion emits toxic fumes of carbon dioxide / carbon monoxide. In combustion emits toxic fumes of nitrogen oxides. Silica.

## Section 11: Toxicological information

### 11.1. Information on toxicological effects

**Toxicity values:** No data available.

### Symptoms / routes of exposure

**Skin contact:** There may be irritation and redness at the site of contact.

**Eye contact:** There may be irritation and redness.

**Inhalation:** Product releases 2-butanonime during curing. After curing, product is odourless and indifferent.

**Delayed / immediate effects:** Delayed effects can be expected after long-term exposure.

## Section 12: Ecological information

### 12.1. Toxicity

**Ecotoxicity values:** No data available.

### 12.2. Persistence and degradability

**Persistence and degradability:** Not biodegradable.

### 12.3. Bioaccumulative potential

**Bioaccumulative potential:** No bioaccumulation potential.

### 12.4. Mobility in soil

**Mobility:** Non-volatile. Insoluble in water.

[cont...]

# SAFETY DATA SHEET

Sealtech N

Page: 5

## 12.5. Results of PBT and vPvB assessment

**PBT identification:** This product is not identified as a PBT/vPvB substance.

## 12.6. Other adverse effects

## Section 13: Disposal considerations

### 13.1. Waste treatment methods

**Disposal operations:** Allow product to cure and dispose [landfilling - category: commercial wastes or municipal wastes].

**Waste code number:** 08 04 09, 09 04 99

**Disposal of packaging:** Empty (clean) container can be disposed off (category: commercial waste, municipal waste).

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

## Section 14: Transport information

### 14.1. UN number

**UN number:** UN0000

### 14.2. UN proper shipping name

### 14.3. Transport hazard class(es)

### 14.4. Packing group

### 14.5. Environmental hazards

**Environmentally hazardous:** No

**Marine pollutant:** No

### 14.6. Special precautions for user

**Special precautions:** No special precautions.

## Section 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.2. Chemical Safety Assessment

## Section 16: Other information

### Other information

**Other information:** This safety data sheet is prepared in accordance with Commission Regulation (EU) No 453/2010.

**Phrases used in s.2 and s.3:** EUH208: Contains <name of sensitising substance>. May produce an allergic reaction.  
EUH210: Safety data sheet available on request.  
H304: May be fatal if swallowed and enters airways.  
H317: May cause an allergic skin reaction.  
H318: Causes serious eye damage.  
H319: Causes serious eye irritation.  
H332: Harmful if inhaled.  
H373: May cause damage to organs <or state all organs affected, if known> through prolonged or repeated exposure <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.

[cont...]

# SAFETY DATA SHEET

Sealtech N

Page: 6

H411: Toxic to aquatic life with long lasting effects.

R20: Harmful by inhalation.

R36/38: Irritating to eyes and skin.

R41: Risk of serious damage to eyes.

R43: May cause sensitisation by skin contact.

R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R65: Harmful: may cause lung damage if swallowed.

**Legend to abbreviations:** PNEC = predicted no effect level

DNEL = derived no effect level

LD50 = median lethal dose

LC50 = median lethal concentration

EC50 = median effective concentration

IC50 = median inhibitory concentration

dw = dry weight

bw = body weight

cc = closed cup

oc = open cup

MUS = mouse

GPG = guinea pig

RBT = rabbit

HAM = hamster

HMN = human

MAM = mammal

PGN = pigeon

IVN = intravenous

SCU = subcutaneous

SKN = skin

DRM = dermal

OCC = ocular/corneal

PCP = physico-chemical properties

**Legal disclaimer:** The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.